


ACTION Track Lighting


Track 62184



Concealed track light, can hide 90% of the volume of the lighting tool itself. Truly concealed design, and the fixture itself has an articulated angle adjustment function to meet complex angle adjustment. The fixture are suitable for museums, clothing stores, supermarkets and so on. This series of products can achieve 25-40W wattage options. And lumens up to 4000LM, can also meet the DALI access.

ACTION Track Lighting

CE IP20   Rotate 350°  Tilt 90°  Flexible 45-125



Flexible Chain leg track light, suitable for commercial space with high requirements for lighting adjustment, flexible use, can be adjusted to the angle required by the guests to meet a variety of needs.

Can just leak out the light body, so that the whole space more neat.

ACTION Track Lighting


Track 62184



Classic top and bottom structure style, die-casting aluminum box with our patented light body, small size and higher power, good heat dissipation effect of the whole fixture, fixture proportional coordination.

Can meet the Triac, 0-10V and Dali dimming.

ACTION Track Lighting



Intrack simple Type

Flexible Chain Leg Type

With Driver Box Type

ACTION Track Lighting


Track 62



ACTION Track Lighting



ACTION 62 Intrack 32.06211 ACTION 62 Flexible Chain Leg 32.06213 ACTION 62 With Driver Box 31.06211



Body

This series uses our patented fixture body, fast heat dissipation, can be small size and higher wattage.

There are 3 versions of this series, one piece ordinary model, flexible chain leg, and with gear box model, to meet the needs of different places, flexible chain leg is mainly used for deeper space with blot; with gear box model can do different kind of dimmable.

Accessories

Honeycomb louvre, Linear Spread glass, glass.

Finish

Black or white colour.

LED sources

Light source: COB LED
CRI:90 | CCT: 3000K, 4000K
Other CRI and CCT options available on request.

Optic

Lens.
Narrow, medium and wide beam angle available.

Driver


Supplied with Single circuit universal adapter, 3 circuit universal adapter or Dali Track adapter.

Applications

A modern design consisting for the purpose to meet the highest requirements of the latest advanced lighting technology.

Application areas: retail, museums, hospitality, residential, offices and lobbies.

Suitable Accessories



Code Ordering Example: 3 2 . 0 6 2 1 1 - 9 0 3 0 1 9 D 0 1 0

	Product Code	Light Source Code	>CRI	CCT	LED Power	Nominal Lumen	Beam Angle (BA)	Driver Options	Finish
ACTION 62 Track Lighting Intrack	32.06211 CA	COB LED	90	30	3000K	25W	2211 lm	D0 No Dim	10 <input type="checkbox"/> WH
			40	4000k		2321 lm	20 <input type="checkbox"/> BK		
ACTION 62 Track Lighting Flexible Chain Leg	32.06213 CA	COB LED	90	30	3000K	25W	2211 lm	D0 No Dim	10 <input type="checkbox"/> WH
			40	4000k		2321 lm	20 <input type="checkbox"/> BK		
ACTION 62 Track Lighting With Driver Box	31.06211 CA	COB LED	90	30	3000K	25W	2211 lm	D0 No Dim	10 <input type="checkbox"/> WH
			40	4000k		2321 lm			20 <input type="checkbox"/> BK

ACTION Track Lighting


Track 84



ACTION Track Lighting



ACTION 84 Intrack 32.08411 ACTION 84 Flexible Chain Leg 32.08415 ACTION 84 With Driver Box 31.08411



Body

This series uses our patented fixture body, fast heat dissipation, can be small size and higher wattage.

There are 3 versions of this series, one piece ordinary model, flexible chain leg, and with gear box model, to meet the needs of different places, flexible chain leg is mainly used for deeper space with blot; with gear box model can do different kind of dimmable.

Accessories

Honeycomb louvre, Linear Spread glass, glass.

Finish

Black or white colour.

LED sources

Light source: COB LED
CRI:90 | CCT: 3000K, 4000K
Other CRI and CCT options available on request.

Optic

Lens.
Narrow, medium and wide beam angle available.

Driver


Supplied with Single circuit universal adapter, 3 circuit universal adapter or Dali Track adapter.

Applications

A modern design consisting for the purpose to meet the highest requirements of the latest advanced lighting technology.

Application areas: retail, museums, hospitality, residential, offices and lobbies.


Suitable Accessories



Linear Spread glass



Glass



Honeycomb louvre

Code Ordering Example: 3 2 . 0 8 4 1 1 - 9 0 3 0 1 7 D 0 1 0

	Product Code	Light Source Code	>CRI	CCT	LED Power	Nominal Lumen	Beam Angle (BA)	Driver Options	Finish
ACTION 84 Track Lighting Intrack	32.08412 CA	COB LED	90	30	3000K	35W	3070 lm	D0 No Dim	10 □ WH
			40	4000k		3223 lm	20 ■ BK		
ACTION 84 Track Lighting Flexible Chain Leg	32.08413 CA	COB LED	90	30	3000K	35W	3070 lm	D0 No Dim	17°/24°/37°
			40	4000k		3223 lm			
ACTION 84 Track Lighting With Driver Box	31.08412 CA	COB LED	90	30	3000K	35W	3070 lm	D0 No Dim	17°/24°/37°
			40	4000k		3223 lm			