


EMMA Track Lighting

Track 45 | 62 | 73 | 90



EMMA Track Lighting

CE IP20   Rotate 350°  Tilt 90°



EMMA Track Lighting

Track 45 | 62 | 73 | 90




EMMA Track Lighting

CE IP20   Rotate 350°  Tilt 90°




EMMA Track Lighting


Track 45 | 62 | 73 | 90



EMMA Track Lighting



EMMA 45 32.04515 EMMA 62 32.06219 EMMA 73 32.07313 EMMA 90 32.09013



Body

The novel appearance of the back cover and leg, with special structure, fixture can be adjusted more than 200 times.

This series has 4 sizes and 4 wattages, which can well meet the needs of different places.

There is a waist line in the middle of the luminaire, which makes the luminaire look more artistic.

Accessories

Honeycomb louvre, Linear Spread glass, glass.

Finish

Black or white colour.

LED sources

Light source: COB LED
CRI:90 | CCT: 3000K, 4000K
Other CRI and CCT options available on request.

Optic

Lens.
Narrow, medium and wide beam angle available.

Driver


Supplied with Single circuit universal adapter, 3 circuit universal adapter or Dali Track adapter.

Applications


A modern design consisting for the purpose to meet the highest requirements of the latest advanced lighting technology.

Application areas: retail, museums, hospitality, residential, offices and lobbies.


Suitable Accessories



Linear Spread glass



Glass



Honeycomb louvre

Code Ordering Example: 3 2 . 0 4 5 1 5 - 9 0 3 0 1 6 D 0 1 0

	Product Code	Light Source Code	>CRI	CCT	LED Power	Nominal Lumen	Beam Angle (BA)	Driver Options	Finish
EMMA 45 Track Lighting	32.04515 CA	COB LED	90	30	3000K	8W	749 lm	D0 No Dim	10 <input type="checkbox"/> WH
			40	4000k		786 lm	20 <input type="checkbox"/> BK		
EMMA 62 Track Lighting	32.06219 CA	COB LED	90	30	3000K	15W	1305 lm	D0 No Dim	17°/25°/36°
			40	4000k		1370 lm			
EMMA 73 Track Lighting	32.07313 CA	COB LED	90	30	3000K	25W	2221 lm	D0 No Dim	18°/26°/40°
			40	4000k		2332 lm			
EMMA 90 Track Lighting	32.09013 CA	COB LED	90	30	3000K	35W	3295 lm	D0 No Dim	16°/20°/30°
			40	4000k		3460 lm			

EMMA Track Lighting-Intrack


Track 45 | 62 | 73 | 90



EMMA Track Lighting-Intrack



EMMA 45 Intrack 32.04516 EMMA 62 Intrack 32.06220 EMMA 73 Intrack 32.07315 EMMA 90 Intrack 32.09015



Body

The novel appearance of the back cover and leg, with special structure, fixture can be adjusted more than 200 times.

This series has 4 sizes and 4 wattages, which can well meet the needs of different places.

There is a waist line in the middle of the luminaire, which makes the luminaire look more artistic.

Accessories

Honeycomb louvre, Linear Spread glass, glass.

Finish

Black or white colour.

LED sources

Light source: COB LED
CRI:90 | CCT: 3000K, 4000K
Other CRI and CCT options available on request.

Optic

Lens.
Narrow, medium and wide beam angle available.

Driver


Supplied with Single circuit universal adapter, 3 circuit universal adapter or Dali Track adapter.

Applications

A modern design consisting for the purpose to meet the highest requirements of the latest advanced lighting technology.

Application areas: retail, museums, hospitality, residential, offices and lobbies.

Suitable Accessories



Code Ordering Example: 3 2 . 0 4 5 1 6 - 9 0 3 0 1 6 D 0 1 0

	Product Code	Light Source Code	>CRI	CCT	LED Power	Nominal Lumen	Beam Angle (BA)	Driver Options	Finish
EMMA 45 Track Lighting Intrack	32.04516 CA	COB LED	90	30	3000K	10W	929 lm	D0 No Dim	10 <input type="checkbox"/> WH
			40	4000k		975 lm	20 <input type="checkbox"/> BK		
EMMA 62 Track Lighting Intrack	32.06220 CA	COB LED	90	30	3000K	15W	1305 lm	D0 No Dim	17°/25°/36°
			40	4000k		1370 lm			
EMMA 73 Track Lighting Intrack	32.07315 CA	COB LED	90	30	3000K	25W	2221 lm	D0 No Dim	18°/26°/40°
			40	4000k		2332 lm			
EMMA 90 Track Lighting Intrack	32.09015 CA	COB LED	90	30	3000K	35W	3295 lm	D0 No Dim	16°/20°/30°
			40	4000k		3460 lm			